

Package: glassdoor (via r-universe)

August 20, 2024

Type Package

Title Interface to 'Glassdoor' API

Version 0.8.1

Maintainer John Muschelli <muschelli2@gmail.com>

Description Interacts with the 'Glassdoor' API
<<https://www.glassdoor.com/developer/index.htm>>. Allows the user to search job statistics, employer statistics, and job progression, where 'Glassdoor' provides a breakdown of other jobs a person did after their current one.

License GPL-2

BugReports <https://github.com/muschelli2/glassdoor/issues>

Imports httr

Suggests covr, knitr, rmarkdown, testthat

VignetteBuilder knitr

Encoding UTF-8

LazyData true

RoxygenNote 6.1.0

Depends R (>= 3.1)

Repository <https://muschelli2.r-universe.dev>

RemoteUrl <https://github.com/muschelli2/glassdoor>

RemoteRef HEAD

RemoteSha 843d77fb98046f72ffd6ada8169bb2c7a879e64e

Contents

gd_api	2
gd_company	3
gd_job_prog	4
gd_job_stats	5
gd_pid	6

gd_review	7
gd_url	7
gd_user_agent	8
get_ip	8
results	9

Index	10
--------------	-----------

gd_api	<i>General Glassdoor API function</i>
--------	---------------------------------------

Description

General Glassdoor API function

Usage

```
gd_api(query = NULL, action = NULL, agent = gd_user_agent(),
       version = 1, format = "json", url = gd_url(), pid = gd_pid(),
       pat = gd_pat(), ip_address = NULL, add_query = NULL, ...)
```

Arguments

query	Additional options to pass to the query other than those specified here
action	The particular API call that you would like to make
agent	The User-Agent (browser) of the end user to whom the API results will be shown. Note that you can obtain this from the "User-Agent" HTTP request header from the end-user
version	The API version. The current version is 1 except for jobs, which is currently version 1.1
format	Either xml or json as you prefer
url	Glassdoor RESTful API URL
pid	Your partner id, as assigned by Glassdoor
pat	Your partner key, as assigned by Glassdoor
ip_address	The IP address of the end user to whom the API results will be shown
add_query	Additional options to pass to the query other than those specified here (named list)
...	Additional options to send to GET

Value

A list of class gd_api

Examples

```

if (have_gd_pid() && have_gd_pat()) {
  res = gd_api(
    action = "employers",
    other = NULL,
    version = 1,
    format = "json",
    query = "pharmaceuticals")

  res = gd_api(
    action = "employers",
    other = NULL,
    version = 1,
    format = "json",
    query = "pharmaceuticals", config = list())
}

```

gd_company

Glassdoor Company Search

Description

Glassdoor Company Search

Usage

```
gd_company(query = NULL, ..., location = NULL, city = NULL,
           state = NULL, country = NULL, page_number = NULL,
           page_size = NULL)
```

```
gd_employer(query = NULL, ..., location = NULL, city = NULL,
            state = NULL, country = NULL, page_number = NULL,
            page_size = NULL)
```

```
gd_company_df(...)
```

```
gd_employer_df(...)
```

Arguments

query	Additional options to pass to the query other than those specified here
...	arguments to pass to gd_api
location	Scope the search to a specific location by specifying it here - city, state, or country.
city	Scope the search to a specific city by specifying it here.
state	Scope the search to a specific state by specifying it here.

country	Scope the search to a specific country by specifying it here.
page_number	Page number to retrieve. Default is 1.
page_size	Page size, i.e. the number of jobs returned on each page of results. Default is 20.

Examples

```
if (have_gd_tokens()) {
  res = gd_company_df("walmart")
  head(res[, c("id", "name")])
  res = gd_company_df("Target")
  res = gd_company("Dropbox")
}
```

gd_job_prog	<i>Glassdoor Job Progression</i>
-------------	----------------------------------

Description

Glassdoor Job Progression

Usage

```
gd_job_prog(..., jobTitle, countryId = 1, query = NULL)
```

Arguments

...	arguments to pass to gd_api
jobTitle	Job Title - the job title to get related jobs for
countryId	Country Id - only 1 (US) is supported right now.
query	Additional options to pass to the query other than those specified here

Examples

```
if (have_gd_tokens()) {
  paste0("&countryId=1&jobTitle=cashier")
  res = gd_job_prog(jobTitle = "cashier", countryId = 1)
}
```

gd_job_stats

*Glassdoor Job Stats***Description**

Glassdoor Job Stats

Usage

```
gd_job_stats(..., query = NULL, employer = NULL, location = NULL,
  city = NULL, state = NULL, country = NULL, fromAge = NULL,
  jobType = NULL, minRating = NULL, radius = NULL,
  job_title = NULL, job_category = NULL, returnCities = NULL,
  returnStates = NULL, returnJobTitles = NULL,
  returnEmployers = NULL, admLevelRequested = NULL)
```

Arguments

...	arguments to pass to gd_api
query	Additional options to pass to the query other than those specified here
employer	Scope the search to a specific employer by specifying the name here.
location	Scope the search to a specific location by specifying it here - city, state, or country.
city	Scope the search to a specific city by specifying it here.
state	Scope the search to a specific state by specifying it here.
country	Scope the search to a specific country by specifying it here.
fromAge	Scope the search to jobs that are less than X days old (-1 = show all jobs (default), 1 = 1 day old, 7 = 1 week old, 14 = 2 weeks old, etc.)
jobType	Scope the search to certain job types. Valid values are all (default), fulltime, parttime, internship, contract, internship, temporary
minRating	Scope the search to jobs of companies with rating \geq minRating (0 = returns all (default), 1 = more than 1 star, 2 = more than 2 stars, 3 = more than 3 stars, 4 = more than 4 stars)
radius	Scope the search to jobs within a certain radius, in miles, of the location specified.
job_title	Scope the search to a specific job title by specifying it here.
job_category	Job category id to scope the search to - see the Job Category table below - note you must pass the id. This can be a comma separated list of ids if you desire to select more than one category.
returnCities	Results will include geographical data (job counts) broken down by city.
returnStates	Results will include geographical data (job counts, score) broken down by the type of geographical district specified in parameter admLevelRequested.

returnJobTitles
Results will include job data broken down by job title.

returnEmployers
Results will include job data broken down by employer.

admLevelRequested
Geographic district type requested when returnStates is true (1 = states, 2 = counties)

Examples

```
if (have_gd_tokens()) {

  paste0("returnStates=true&admLevelRequested=1")
  res = gd_job_stats(returnStates = TRUE, admLevelRequested = 1)
}
```

gd_pid	<i>Glassdoor Partner ID</i>
--------	-----------------------------

Description

Glassdoor Partner ID

Usage

```
gd_pid(token = NULL, error = TRUE)

gd_pat(token = NULL, error = TRUE)

have_gd_pid(token = NULL)

have_gd_pat(token = NULL)

have_gd_tokens()
```

Arguments

token	Partner ID or Authentication token
error	Should the function error if no token specified?

Value

A vector of class character

Examples

```
if (have_gd_pid()) {
  gd_pid()
}
```

gd_review	<i>Glassdoor Company Search</i>
-----------	---------------------------------

Description

Glassdoor Company Search

Usage

```
gd_review(employer_id, ..., page_number = NULL, page_size = NULL,  
          query = NULL)
```

Arguments

employer_id	Glassdoor ID for the company, can be accessed using gd_company
...	arguments to pass to gd_api
page_number	Page number to retrieve. Default is 1.
page_size	Page size, i.e. the number of jobs returned on each page of results. Default is 20.
query	Additional options to pass to the query other than those specified here

Examples

```
if (have_gd_tokens()) {  
  res = gd_review(employer_id = 715) # walmart  
}
```

gd_url	<i>Glassdoor URL</i>
--------	----------------------

Description

Glassdoor URL

Usage

```
gd_url()
```

Value

Object of class character

Examples

```
gd_url()
```

gd_user_agent	<i>Glassdoor User Agent</i>
---------------	-----------------------------

Description

Glassdoor User Agent

Usage

```
gd_user_agent()
```

Value

Character vector

Examples

```
gd_user_agent()
```

get_ip	<i>Get IP Address</i>
--------	-----------------------

Description

Get IP Address

Usage

```
get_ip(agent = gd_user_agent())
```

Arguments

agent User Agent for Header

Value

Character Vector of IP

Note

Inspired by <https://github.com/gregce/ipify/blob/master/R/ipify.R>

Examples

```
get_ip()
```

results	<i>Results of a Glassdoor object</i>
---------	--------------------------------------

Description

Calculates the results from Glassdoor object

Usage

```
results(gd, ...)  
  
## Default S3 method:  
results(gd, ...)  
  
## S3 method for class 'gd_api'  
results(gd, ...)  
  
## S3 method for class 'gd_job_prog'  
results(gd, ...)
```

Arguments

gd an object for which we want the results, the output from a Glassdoor call
... Any additional arguments to be passed to results.

Value

A class of `gd_job_prog` will return a list of `progression_table` and `job_info`.

Examples

```
if (have_gd_tokens()) {  
  gd = gd_job_prog(jobTitle = "cashier", countryId = 1)  
  res = results(gd)  
}
```

Index

`gd_api`, 2, 3–5, 7
`gd_company`, 3, 7
`gd_company_df (gd_company)`, 3
`gd_employer (gd_company)`, 3
`gd_employer_df (gd_company)`, 3
`gd_job_prog`, 4
`gd_job_stats`, 5
`gd_pat (gd_pid)`, 6
`gd_pid`, 6
`gd_review`, 7
`gd_url`, 7
`gd_user_agent`, 8
GET, 2
`get_ip`, 8

`have_gd_pat (gd_pid)`, 6
`have_gd_pid (gd_pid)`, 6
`have_gd_tokens (gd_pid)`, 6

results, 9